

Lucas Indian Service Limited

The Aftermarket Solutions Provider



TVS Automotive



LUBRICANTS, GREASE, COOLANT & DEF





PASSENGER CAR OIL

PCMO ENGINE OIL SM 5W-30 SM SYNTHETIC

A Superior PCMO, specially blended from synthetic base oils and performance proven additives to meet the specified performance level.

It is an all season, environment friendly, engine oil for most modern passenger cars meeting latest emission norms.

Recommended for passenger cars of Maruti Suzuki, Hyundai, Skoda, Audi, VW, BMW, Mercedes etc.

Pack Size: 1,3,3.5,210ltr

PASSENGER CAR OIL

PCMO ENGINE OIL SM 5W-40 SYNTHETIC

A Superior PCMO, specially blended from synthetic base oils and performance proven additives to meet the specified performance level.

It is an all season, environment friendly, engine oil for most modern passenger cars meeting latest emission norms.

Recommended for passenger cars of Maruti Suzuki, Hyundai, Skoda, Audi, VW, BMW, Mercedes etc.

Pack Size: 1,4,210ltr

PASSENGER CAR OIL

PCMO ENGINE OIL SL 20W-50 SYNTHETIC

Synthetic Engine Oil for use in new generation passenger cars meeting latest emission norms. Suitable for use in Petrol and CNG operated passenger cars.

Recommended for passenger cars of Maruti Suzuki, Hyundai, TATA Motors, Mahindra, Toyota etc. meeting Emission Norms BSIII, BS6.

Pack Size: 3,3.5,50,210ltr

PASSENGER CAR OIL

ENGINE OIL CH4 15W-40 SYNTHETIC

Suitable for steady motoring and slow moving dense traffic conditions.

Its synthetic technology provides excellent cold start and oxidation stability.

Recommended for Auto Rickshaws & Delivery Vans of Bajaj Auto, TVSAuto, Atul Auto, Piaggio Auto, JS Auto, PAL Auto, Gauri Auto.

Pack Size: 3,210ltr



PASSENGER CAR OIL

PCMO ENGINE OIL 10W-40 SN SYNTHETIC

Its synthetic technology and performance proven additives provides excellent cold start and oxidation stability.

It provides improved piston cleanliness and engine sludge protection other than rust protection, seal compatibility and oxidation stability.

It meets modern emission requirements and is recommended for most modern passenger cars manufactured by Maruti Suzuki, Hyundai, Skoda, Audi, VW, BMW, Mercedes.

Pack Size: 3,3.5ltr

PASSENGER CAR OIL

PCMO ENGINE OIL SM 20W-50

Engine Oil use in Petrol Engines of new generation passenger cars meeting latest emission norms.

Suitable for use in CNG operated passenger cars.

Recommended for passenger cars of Maruti Suzuki, Hyundai, TATA Motors, Mahindra, Toyota etc. Meeting Emission norms BS III,BS6.

Pack Size: 1,3,3.5ltr

PETROL ENGINE OIL

PCMO ENGINE OIL SF,CD 20W-50

Multi-grade engine oil specially developed for vehicles operating on petrol & Diesel Fuels.

Suitable for city stop and Go traffic conditions.

Recommended for vehicles manufactured by Bajaj, Mahindra, TATA Motors, Piaggio, JS Auto, PAL Auto, Gauri Auto, etc.

Pack Size: 1,3,3.5,7.5,8.5,210ltr

DIESEL ENGINE OIL

ENGINE OIL CI-4 PLUS 15W-40 SYNTHETIC

Excellent shoot handling, superior sludge control, rust and wear protection properties.

Improve engine fuel efficiency and lowers oil consumption and extended drainage interval.

Complaints with EURO-IV , BS-IV emission standards.

Its Recommended for VOLVO, TATA Motors, Ashok Leyland, Cummins, Mahindra, Hyundai, Toyota, etc.

Pack Size: 1,3.5,5,15,50,210ltr.



DIESEL ENGINE OIL

ENGINE OIL CF-4 15W-40

Excellent anti-corrosion, friction control rust and wear protection properties.

Extended drain service engine oil for new generation low emission Diesel vehicles meeting BS IV & Euro IV emission norms.

Recommended for TATA Motors, Ashok Leyland, Volvo, Mahindra, Cummins, etc.

Pack Size:500ml,1,3,5,6,7.5,10,15,50,210ltr

DIESEL ENGINE OIL

ENGINE OIL CI4 15W-40

Fortified with specially selected organo metallic detergents and ash less dispersant to combat soot induced oil thickening and wear.

Recommended for vehicles manufactured by Ashok Leyland, TATA Motors, Volvo, Caterpillar, Cummins, MAN, MACK, Daimler Chrysler etc. meeting BS III, BS IV emission norms.

Pack Size: 1,5,6,7,7.5,10,15,50,210ltr

DIESEL ENGINE OIL

ENGINE OIL CF-20W-40

An all season, multi grade high detergent diesel engine oil. Suitable for use in both naturally aspirated and turbo charged diesel engines.

Recommended for use in LCVs, Trucks and Buses of TATA Motors, Ashok Leyland, Eicher, Mahindra, Swaraj Mazda, etc.

Pack Size:500ml,1,3,5,6,7.5,10,20,210ltr

2 WHEELER ENGINE OIL

MCO ENGINE OIL SL 20W-40

A Superior 4 Stroke Engine Oil specially blended from synthetic base oil to meet the performance of OEMs vehicles.

Recommended for all 4 stroke Engine i.e. Honda, Hero, Bajaj, Yamaha, TVS, Suzuki, Mahindra etc.

Pack Size:900ml,1,50,210ltr



2 WHEELER ENGINE OIL
MCO ENGINE OIL 20W-50 SL

Formulated for high speed air-cooled engines of new generation 2 wheelers.

It meets the stringent performances requirements of SL and exceeds the valve train wear requirements of API SM.

Its synthetic technology helps in providing excellent wear protection at high temperature operation.

Recommended for 2 wheelers manufactured by Hero, Honda, Bajaj, TVS, Yamaha and Mahindra.

Pack Size: 1,50,210ltr.



2 WHEELER ENGINE OIL
MCO ENGINE OIL SJ 20W-40

High performance Engine oil for 4 stroke engines of 2 wheelers using petrol as fuel.

Its specially developed additive technology acts as 3-in-1 oil for engines, Clutch and Gear of motorcycles.

It is formulated to meet performance requirements of OEMs vehicles.

Recommended for Scooters and Bikes of Hero, Honda, Bajaj, TVS, Yamaha and Mahindra etc.

Pack Size: 0.5,0.9,1,50,210ltr



2 WHEELER ENGINE OIL
MCO 4T PLUS ENGINE OIL
SL-JASO MB,MA2 10W-30

SL-JASO MB 10W-30 is specially designed for automatic scooters and gearless 2 wheelers providing superior protection in stop and go traffic conditions.

Pack Size: JASO MB-800ml



2 WHEELER ENGINE OIL
MCO ENGINE OIL SM 15W-50
SYNTHETIC

Specially formulated engine oil for heavy duty motor cycles.

It is a new generation 3 in 1 oil for engine, clutch and gears system of 2 wheelers.

It is formulated for high speed air-cooled engines of new generation motorcycles and Scooters.

Recommended for 2 Wheelers of Royal Enfield etc.

Pack Size: 2,5,210ltr



HEAVY DUTY ENGINE OIL
MCO ENGINE OIL-SL 15W- 50

Excellent Wear and oxidation protection.

Its synthetic technology helps in providing excellent wet clutch performance.

Recommended for higher CC motorcycle like Honda, Bajaj, TVS, Yamaha, Mahindra etc.

Pack Size: 2,5,50ltr



4T PLUS ENGINE OIL
MCO ENGINE OIL SL 10W 30

SAE10 W 30 is premium grade universal oil for engine clutch and gear of all types of scooters and motorcycle.

Its formulated to meet the performance requirement of major OEMs like Bajaj, Honda, Yamaha, TVS, Suzuki, Hero.

Pack Size: 900ml, 1, 1.2, 50,210ltr



SYNTHETIC ENGINE OIL
4T SYNTHETIC ENGINE OIL

Heavy Duty 4T Synthetic Engine Oil SAE 20W40, API SN, JASO MA2 is universal oil for Engine, Clutch and Gear of Motorcycles.

It meets the requirements of all leading motorcycle manufactures.

It prevents clutch slippage and meets the friction tests stipulated in JASO T903.

Pack Size: 900ml, 1ltr



SYNTHETIC ENGINE OIL
FULLY SYNTHETIC ENGINE OIL

High Performance MCO Fully Synthetic Engine Oil SAE 10W40, API SN, JASO MA is universal oil for Engine, Clutch and Gear of Motorcycles.

It meets the requirements of all leading motorcycle manufactures.

It prevents clutch slippage and meets the friction tests stipulated in JASO T903.

Pack Size: 1ltr



MULTIGRADE OIL
20W-40 API CF,SF

Multigrade Engine Oil for use in new generation Engines meeting BS1, BS6 I Emission norms.

Suitable for use in both naturally aspirated and turbocharged Engines operating under severe service conditions.

Prevents Carbon built-up in engines. Protects Rust & Corrosion of Engine.

Pack Size: 3ltr



GEAR & TRANSMISSION OIL
GEAR OIL EP 90,EP 140

Long service life gear oil ideal for manual transmission, rear axle, automotive hypoid gear units & fluid lubricated universal joints for applications where API GL-4 fluid is recommended.

Suitable in Passenger Cars, Vans, Light Commercial Vehicles, Buses, Tractors, Construction Equipment etc.

Pack Size: EP90-500ml, 1,5,26,210ltr
EP140-1,5,20ltr



GEAR & TRANSMISSION OIL
GEAR OIL GL-4 80W-90

Long service life gear oil ideal for manual transmission, rear axle, automotive hypoid gear units & fluid lubricated universal joints where API GL-4 is recommended.

Suitable in Passenger Cars, Vans, Light Commercial Vehicles, Buses, Tractors, Construction equipment etc.

Pack Size: 1,5,6,7.5,26,210ltr



GEAR & TRANSMISSION OIL
TQ OIL

Specifically formulated for synchromesh transmission and power steering.

TQ Oil is ideal for automatic transmission a power steering units manufactured by ZF, Rane etc. where TYPE A SUFFIX A fluids are specified.

It is also recommended for manual transmission and hydraulic systems where such type of fluid is specified.

Pack Size: 500ml, 1,5,20,210ltr



GEAR & TRANSMISSION OIL

GEAR OIL GL-5 85W-140

Ideal for manual transmission, rear axle and differential, automotive hypoid gear units & fluid lubricated universal joints where API GL-5 fluid is recommended.

Suitable in Passenger Cars, Vans, Light Commercial Vehicles, Buses, Tractors, Construction Equipment and Heavy Duty Automotive applications.

PRESSURE GEAR OIL

GEAR OIL 75W-90

Ideal for manual transmissions, rear axle, automotive hypoid gear units and fluid lubricated universal joints.

Recommended for Maruti Suzuki, Hyundai, Honda, Toyota, M&M, Renault, Nissan, Tata Motors, Volkswagen, Ford, Fiat, Chevrolet, HM, Ashok Leyland, SML ISUZU, Eicher, Tafe, Swaraj Mazda, Escorts etc.

AGRI OIL

PSO MG 20W-40

Multi grade Diesel Engine Oil for use in Tractors & other farm equipments.

Suitable for use in both naturally aspirated diesel and petrol engines operating under severe service condition.

Recommended for Pump Sets manufactured by Kirloskar, Usha, Comet, Field Marshal, Prakash Pumps and HTC.

AGRI OIL

UTTO4-UNIVERSAL TRACTOR TRANSMISSION OIL

High performance oil for use in Transmission, Hydraulic system, oil immersed brakes of tractors and off-highway vehicles.

It ensures smooth, effective and noise free operations.

It is recommended for use in tractors of Mahindra, Eicher, Escorts, TAFE, Swaraj Mazda, Indo Farm, HMT, Sonalika etc. operating on and off-highways in agriculture, construction etc.

Pack Size: 1,5,6,12,210ltr

Pack Size: 1,2,5ltr

Pack Size: 1,2,3,5ltr

Pack Size: 5,20,26,210ltr



AGRI OIL

TRACTOR ENGINE OIL CF4 20W-40

Suitable for use in both naturally aspirated and turbo charged diesel engines operating under severe conditions.

It is recommended for use in tractors of Mahindra, Eicher, Escorts, TAFE, Swaraj Mazda, Indo Farm, HMT, Sonalika, etc.

DEF

DIESEL EXHAUST FLUID

It is a highly purified automotive fluid created especially for use in eco- friendly, modern SCR engines.

The Diesel Exhaust Fluid is effectively counteracts with hazardous NOx exhaust, reducing it to harmless, non- polluting N2, H2O and CO2 gases before emission.

It is produced following in a stringent manufacturing process and adhering to international quality.

CNG ESSENTIAL

TVS CNG ESSENTIAL 20W-50

A high performing engine oil specially formulated for CNG, LPG & petrol engines to keep the environment clean.

Suitable for Passenger Cars, Auto Rickshaws and other small vehicles operating on CNG, Petrol & LPG fuels. Suitable for steady motoring and slow moving dense traffic conditions.

HYDRAULIC OILS

HYDRO PRIME 32,46,68

HYDRO PRIME grades are blend of high viscosity index, chemically stable base oils.

Recommended for wide variety of industrial hydraulic and circulation systems, special purpose machines, positive displacement pumps such as axial, piston, vane and gear types etc.

It can also be used in hydraulic elevators, hoists, machine tools and presses, compressors, chain drives, machine tools, circulation systems.

Pack Size: 1,6,7,5,8,5,10,210ltr

Pack Size: 5,10,20,210ltr

Pack Size: 1ltr

Pack Size: (32):210ltr, 26ltr, 20ltr
(46):210ltr, 26ltr, 20ltr, 5ltr
(68):210ltr, 26ltr, 20ltr, 5ltr



GEL GREASE

TVS CARMINE GEL GREASE

Recommended for use in wheel bearings of all Passenger Cars, Trucks, Buses, Farm Equipment, On-highway and Off-highway commercial vehicles and Machinery.

GREASES

MP 3 GREASE

Suitable for all types of automotive applications it is a multipurpose grease recommended for universal joints, wheel bearing suspension, steering and chassis.

Also recommended for truck roller, chain drivers of farm equipment, thresher bearing, certain open and semi ended gears, trucks, cars, tractors, LCV and HCV etc.

GREASES

TVS LICOM 2

Premium quality lithium complex multipurpose grease manufactured from superior quality base stocks with specially selected additives High drop point, resistance to oxidation and water, good thermal and good shear and structural stability

Suitable for the most types of industrial applications in steel plants, mining, cement and other different engineering industries as excellent multipurpose greases and can be used in the temperature range of 180°C -200 °C

COOLANT

TVS Automotive Coolant

Used across vehicles.

Utilize an ethylene glycol-based anti-freeze agent.

Protection from freezing, overheating, rust and corrosion.

Pack Size: 0.5,1,3,5,7,18ltr

Pack Size: 0.05, 0.1, 0.2, 0.5, 1,3,5,7,18,180kg

Pack Size: 1,3,5,7,18,180kg

Pack Size: 500ml, 1,3,5,20,210ltr
Colour: Green, Blue, Red